



**ENVIRONMENTAL PROTECTION AGENCY  
SOUTHERN DIRECTORATE D.I.KHAN,  
(FORESTRY, ENVIRONMENT & WILDLIFE DEPARTMENT)  
GOVT. OF KHYBER PAKHTUNKHWA**



**SCHEDULE-V**

**Decision on IEE**

- 1. Name, address of proponent:** Mr. Muhammad Younas S/O Rustam Khan,  
M/S Younas Stone Crushing Plant,  
Address: 068 M.S, Village Ahmad Khan  
Darra Pezu, Tehsil and District Lakki  
Marwat. Cell #: 0345-9856611
- 2. Description of Project:** The proposed project is to establish in  
Darra Pezu, Tehsil and district Laki Marwat.  
The Total land of the project is 417.1177  
Acres. With total Capacity of 100 tons/day.  
The construction and operational Phase of  
the project will require power which will be  
supplied by Water and Power Development  
Authority (WAPDA). A transformer of 200KV  
will be installed to meet the energy  
requirement. About 10-12 labors and  
Technicians will work during construction  
phase, whereas 8-10 staff will work for the  
operation of the project. The total cost of the  
project is approximately Rs.11 Million.
- 3. Location of project:** Project is located at District Lakki Marwat.  
**GPS Coordinate N: 32.29626 E:70.74557**
- 4. Date of filing of IEE:** **18-05-2021 (Ref: EPA/Diary No. 133)**
- 5.** After a careful review and field visit report carried out by Mr. Sadiq Ullah Khan  
(Monitoring Inspector) EPA Southern Directorate, Dera Ismail Khan (DIK) on  
19-02-2021, the Environmental Protection Agency, Govt. of Khyber Pakhtunkhwa  
has decided to accord conditional approval of the Initial Environmental  
Examination (IEE) report of "Younas Stone Crusher, 086, Village Ahmad Abad,  
Darra Pezu, District Lakki Marwat, Khyber Pakhtunkhwa," in line with Khyber  
Pakhtunkhwa Environmental Protection Act, 2014 and IEE/EIA Regulations,  
2000 subject to the following term & conditions:-




**ENVIRONMENTAL PROTECTION AGENCY**  
**SOUTHERN DIRECTORATE D.I.KHAN,**  
(FORESTRY, ENVIRONMENT & WILDLIFE DEPARTMENT)  
GOVT.OF KHYBER PAKHTUNKHWA



- a) The proponent shall adopt all precautionary and mitigation measures identified in IEE Report as well as any unanticipated impacts during the construction and operation phase of project.
- b) The proposed crush plant must be constructed "According to the recommendation of the Sub Committee, the safe distance for stone crushers will be 500 meters from human dwellings in urban areas and 300 meters in rural areas, whereas 200 meters from road. The definition of human dwellings/hamlet shall be considered a cluster of at least 50 houses. The Crush Plant must be installed at distance of 100 m from the Road according to the recommendation of the Sub Committee approved by the Cabinet.
- c) These shall be implemented by Industry department as per provision of Rule 3 of Powers Crushers (Installation, Operation and Registration) 2020".
- d) The crush plant must not more than One Jaw Crusher, One Syndicator, one Screener and eight to ten Conveyers belts.
- e) Employment should be provided to local people particularly for unskilled jobs.
- f) Carry sprays twice a day i.e 7:00 am and 1:00 pm on non metal roads during construction and operation phase in order to minimize dust during delivery.
- g) The proponent should cover the delivery vehicles properly.
- h) Health Safety equipments (mask, helmet, glasses, gloves, shoes, air plugs, etc) should be provided to the workers and direct them to be wearing during working hours.
- i) The plantation of about 500 well established Dakki Dates along with Ornamental plants must be planted in the open space & on access road before starting the operation of crush plant.
- j) Water spray should be carried out on Raw / Crushed material through water pump connected with pipelines and water spraying nozzles.
- k) The proponent will install Air/Dust Control System as per SOPs of stone crush plant: Specification and drawing of Dust/Air Pollution Control System is given as below):



ENVIRONMENTAL PROTECTION AGENCY  
SOUTHERN DIRECTORATE D.I.KHAN,  
(FORESTRY, ENVIRONMENT & WILDLIFE DEPARTMENT)  
GOVT.OF KHYBER PAKHTUNKHWA



- l) Forest Department shall be consulted regarding tree cutting (if involved).
  - m) Mining activities are not allowed for the said Crush Plant as for the Mining activities separate Environmental Approval is mandatory from this Agency according to the law.
  - n) The proponent shall be responsible to facilitate the EPA team during visit/inspection/monitoring.
  - o) Copy of the MOU regarding Purchasing of Raw materials for crushing material must be provided to this Agency before starting the operation of the crushing activity.
  - p) In case of any complaint received to this Agency has reserved the right to issue Show Cause Notice and Suspend/Cancel the Approval.
  - q) Crush Plant will not be allowed to operate at night shift.
  - r) Blasting is not allowed however, if necessary so explosive License must be obtained from DC/Explosive department and submits copy of the same to this Agency.
6. The proponent shall be liable for correctness and validity of the information supplied.




ENVIRONMENTAL PROTECTION AGENCY  
SOUTHERN DIRECTORATE D.I.KHAN,  
(FORESTRY, ENVIRONMENT & WILDLIFE DEPARTMENT)  
GOVT.OF KHYBER PAKHTUNKHWA



7. The proponent shall be liable for compliance of Regulations 11,13,14,17 and 18 of IEE/EIA Regulations, 2000, regarding approval, confirmation of compliance, entry, inspections and monitoring.
8. This approval is accorded only for the **INSTALLATION / CONSTRUCTION PHASE** of the project.
9. The proponent will obtain **OPERATIONAL APPROVAL** of the project in accordance with the Regulation 13 (2) (b) and 18 of the IEE/EIA Regulations, 2000.
10. Any change in the approved project shall be communicated to EPA, Khyber Pakhtunkhwa and shall be commenced after obtaining the approval.
11. This approval does not absolve the proponent of the duty to obtain any other approval or clearance that may be required under any law in force.
12. There shall be no legal case pending in the courts against the project.
13. This approval shall be treated as null and void if all or any of the conditions mentioned above is/are not complied with.
14. In exercise of the power under Section-13 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014 and the Delegation of the Power vide Letter No.EPA/050/01/93/908-17 dated the November 30, 2018, the undersigned is pleased to approve the IEE Report for construction phase of the project only with the above mentioned terms and conditions.

Dated: 01 / 09 / 2021

Tracking/File.No. EPA/SR/DIK/IEE/CP/Younas Stone Crusher/ 1031

  
DIRECTOR (SOUTH)  
EPA, SOUTHERN DIRECTORATE  
D.I.KHAN



**ENVIRONMENTAL PROTECTION AGENCY**  
**SOUTHERN DIRECTORATE D.I.KHAN,**  
(FORESTRY, ENVIRONMENT & WILDLIFE DEPARTMENT)  
GOVT. OF KHYBER PAKHTUNKHWA



NO. EPA/IEE/Younas CP/Pezu/ 2425-26 Dated: 21/01/2022

To

Mr. Muhammad Younas S/O Rustam Khan,  
M/S Younas Stone Crushing Plant,  
068 M.S, Village Ahmad Khan Darra Pezu,  
Tehsil and District Lakki Marwat.  
Cell #: 0345-9856611

Subject: **ISSUANCE OF OPERATIONAL APPROVAL FOR M/S YOUNAS CRUSH PLANT, DARRA PEZU, DISTRICT LAKKI MARWAT.**

Kindly, refer to the subject cited above, it is stated that this office visited the Unit of the subject project and monitored the Construction Environmental Approval Conditions issued vide letter No. EPA/SR/DIK/IEE/CP/Younas Stone Crusher/1031 dated 01/09/2021. According to field report the conditions of the Construction Environmental Approval is implemented. Therefore, the EPA, Southern Directorate, DI Khan is pleased to accord the Operational Environmental Approval for the subject activity according to Khyber Pakhtunkhwa, Environmental Protection Act, 2014 and KP Environmental Assessment Rules-2021 with following terms and conditions:

1. The mitigation measures mentioned in the Constructional Environmental Approval vide letter No. EPA/SR/DIK/IEE/CP/Younas Stone Crusher/1031 dated 01/09/2021 and IEE Reports must be maintained all the time.
2. Any new updated technology in the future proposed by EPA must be implemented for the subject activity for the protection of environment.
3. Any change in the approved project shall be communicated to EPA, Southern Directorate, D.I.Khan and shall be commenced after obtaining the approval.

*o/c*

**DIRECTOR (SOUTH)**

**Copy for information to the;**

✓ Deputy Commissioner Lakki Marwat.