


## SCHEDULE-V

### Decision on IEE

1. **Name, address of proponent:** Mr. Khalid Anis,  
Acting General Manager (HSEQ)  
OGDCL House,  
Blue Area, Jinnah Avenue Islamabad.  
Phone No. 051-9209752.  
Fax No. 051-2623041
2. **Description of project.** Oil & Gas Development Company Limited Islamabad plan to undertake exploration & drilling activities in Mianwali E.L. mostly in District Mianwali with some portion extended to District Khushab and Lakki Marwat, Khyber Pakhtunkhwa. It covers an area of Mianwali Block 2280.91km<sup>2</sup>. The proposed oil and gas exploration will be undertaken at selected locations (15 seismic profiles of different lengths).
3. **Location of project.** The proposed project is located in District Mianwali with some portion extended to District Khushab and Lakki Marwat, Khyber Pakhtunkhwa.
4. **Date of filing of IEE** 09-03-2015  
(Ref: EPA/Dairy No.378).
5. After careful review, the Environmental Protection Agency, Govt. of Khyber Pakhtunkhwa has decided to accord approval of the Initial Environmental Examination of "Exploration, Drilling and Production Activities in Mianwali E.L." Mianwali with some portion extended to District Khushab and Lakki Marwat, Khyber Pakhtunkhwa in line with the guidelines issued by Khyber Pakhtunkhwa Environmental Protection Act, 2014 and IEE/EIA Regulations, 2000 subject to the following terms & conditions:-
  - a) The proponent shall adopt all precautionary and mitigation measures identified in the IEE report as well as any un-anticipated impacts during the construction and operational phase of the project.
  - b) The proponent must provide copy of agreement between OGDCL Pakistan and the local people of the area regarding land acquisition / crop compensation along-with their complete addresses to this Agency.
  - c) Non technical/technical jobs must be provided to the local people of the area.
  - d) Area must be restored in the original form after the completion of project activities.

- e) Measures should be adopted for oil/chemical spill etc.
  - f) Health & safety equipments like rubber shoes, gloves, overall and ear plugs etc must be provided to the staff.
  - g) Mechanism for the rehabilitation of water recharge and discharge must be provided before starting physical activities on the site.
  - h) The Plantation must be carried out as per recommendation in the IEE Report.
  - i) Conservation strategy for the agriculture and range land must be provided before starting physical activities on the site.
  - j) Conservation plan for fauna and flora during activities must be provided to this Agency before starting physical activities on the site.
6. The proponent shall be liable for correctness and validity of the information supplied by the environmental consultant.
  7. The proponent shall be liable for compliance of Sections 13, 14, 17 and 18 of IEE/EIA Regulations, 2000, regarding approval, confirmation of compliance, entry, inspections and monitoring.
  8. This approval is accorded only for the installation/ construction phase of the project. The proponent shall obtain approval for operation of the project in accordance with the Section 13 (2) (b) and Section 18 of the IEE/EIA Regulations, 2000.
  9. Any change in the approved project shall be communicated to EPA, Khyber Pakhtunkhwa and shall be commenced after obtaining the approval.
  10. This approval shall be treated as null and void if all or any of the conditions mentioned above is/are not complied with.
  11. This approval does not absolve the proponent of the duty to obtain any other approval or clearance that may be required under any law in force.
  12. There is no legal case pending in the courts against the project.
  13. In exercise of the power under Section 13 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014, the undersigned is pleased to approve the IEE Report for construction phase of the project with above mentioned terms and conditions.

Dated: Peshawar 16-9-2015  
Tracking/File.No. EPA/IEE/OGDCL/Mianwali E/L/ 518

  
DIRECTOR GENERAL  
EPA, Khyber Pakhtunkhwa.  
3<sup>rd</sup> Floor, SDU Building, Khyber  
Road Peshawar Cantt.