

## SCHEDULE-VI


### Decision on IEE

1. **Name, address of proponent:** Director General,  
Small Dams Organization, Irrigation  
Department  
Govt. of Khyber Pakhtunkhwa,  
Peshawar.  
Plot No. 27, Sector E-8, Phase-VII,  
Hayatabad, Peshawar. Phone No. 091-  
9219555, Fax No. 091-9219534
  
2. **Description of project.** Latambar Dam is proposed to be built  
on Latambar Tangi Algad. The reservoir  
will have gross storage of 1820 acre ft.  
the estimated life of the dame is 100  
years. The water from the dame  
reservoir can cater for irrigating 700  
acres.
  
3. **Location of project.** The project is located in  
District Karak.
  
4. **Date of filing of IEE.** 11-09-2015  
(Ref. EPA Diary No. 472)
  
5. After careful review, the Environmental Protection Agency, Govt. of Khyber  
Pakhtunkhwa has decided to accord approval of the Initial Environmental  
Examination for Latambar Dam Project, District Karak, in line with the  
guidelines issued by Pak. EPA and IEE/EIA Regulations, 2000 subject to the  
following terms & conditions:-
  - a) The proponent will adopt all precautionary and mitigatory measures  
identified in IEE report as well as any un-anticipated impacts during the  
construction and operation phases of project.
  - b) Present right of way of irrigation should be protected.
  - c) Debris should be disposed off in pit or designated areas.
  - d) Land compensation agreement should be provided to This Agency  
before starting activities on the site.
  - e) Non technical jobs should be provided to the local community.
  - f) Compensation of the land should be paid on market rate/ as per govt.  
policy.
  - g) To minimize erosion, afforestation programme should be planned and  
implemented in the catchments area of the proposed dam.
  - h) Emissions, effluent (if any) should be brought within the permissible  
limits of NEQS.

- i) Health and safety measures (PPEs) should be provided to the worker during working hours.
- j) The proponent should be responsible to facilitate the EPA team during visit/inspection/monitoring.
6. The proponent shall be liable for correctness and validity of the information supplied by the environmental consultant.
7. The proponent shall be liable for compliance of Sections 13, 14, 17 and 18 of IEE/EIA Regulations, 2000, regarding approval, confirmation of compliance, entry, inspections and monitoring.
8. This approval is accorded only for the installation/ construction phase of the project. The proponent will obtain approval for operation of the project in accordance with the Section 13 (2) (b) and Section 18 of the IEE/EIA Regulations, 2000.
9. Any change in the approved project shall be communicated to EPA, Khyber Pakhtunkhwa and shall be commenced after obtaining the approval.
10. This approval shall be treated as null and void if all or any of the conditions mentioned above is/are not complied with.
11. This approval does not absolve the proponent of the duty to obtain any other approval or clearance that may be required under any law in force.
12. There is no legal case pending in the courts against the project.
13. In exercise of the power under Section 12 of the Pakistan Environmental Protection Act, 1997, the undersigned is pleased to approve the IEE Report for construction phase of the project with above mentioned terms and conditions.

Dated: Peshawar 4-12-15

Tracking/File.No. EPA/IEE/Latamber Dam/231

  
**DIRECTOR GENERAL** 3.12.15  
**EPA, Khyber Pakhtunkhwa**  
**3<sup>rd</sup> Floor, SDU Building, Khyber Road,**  
**Peshawar.**