

SCHEDULE-V

Decision on IEE

1. **Name, address of proponent:** Engineer Muhammad Khalid
TOI Project Implementation
Team, Tank. Tehsil Municipal
Administration
Tel # 0962-511443
Cell # 0333-9968284
2. **Description of project.** The sub-project was identified by the TMA as its main priority sub-project. The ADB Loan Review Mission in its Aide Memoir has agreed for its re-appraisal and feasibility report was prepared. The proposed Water supply system will cater for all the urban population of the Tank up to the year 2015 by providing adequate and safe drinking water.
3. **Location of project.** Town of Tank.
4. **Date of filing of IEE.** 26-02-2008
(Refer: EPA/Diary # 261)
5. After a careful review, the Environmental Protection Agency, Govt. of NWFP has decided to accord conditional approval of the Initial Environmental Examination for the Water supply system, Tank in line with the guidelines issued by Pak. EPA and IEE/EIA Regulations, 2000 subject to the following terms & conditions:-
 - a) The proponent will adopt all pre-cautionary & mitigatory measures identified in IEE report.
 - b) The project proponent must ensure that proper mitigation measure will be adopted to control any un-anticipated adverse impact of the project during implementation phase.
 - c) Due care must be exercised to safe guard the environment and health of the general public while executing the water supply system for Tank.

6. The proponent shall be liable for compliance of section 13, 14 & 18 of IEE/EIA Regulations 2000, which enunciate the conditions for approval, confirmation of compliance, entry, inspection and monitoring of the proposed project.
7. This approval does not absolve the proponent of duty to obtain any other approval or clearance that may be required under any other law in force.
8. In exercise of the power under Section 12 of Pakistan Environmental Protection Act, 1997, the undersigned is pleased to approve the IEE report of the project with above mentioned terms & conditions

Dated: Peshawar 6-5-2008

Tracking/File.No.

EPK/IEE/WSST/1185

you might be requested to provide information to inform you
if you have not submitted the IEE report, you are
to submit the IEE report to the subject IEE Report to
as per requirement of IEE/EIA regulations 2000, an
view process may be initiated accordingly

DIRECTOR GENERAL
EPA, NWFP.
3rd Floor, Old Courts
Building, Khyber Road
Peshawar.