



ENVIRONMENTAL PROTECTION AGENCY
CLIMATE CHANGE, FORESTRY, ENVIRONMENT
&
WILDLIFE DEPARTMENT
GOVERNMENT OF KHYBER PAKHTUNKHWA



No. EPA/EIA/Incinerator/Envirocare/Peshawar/23/ 481-83

Date: 27/06 /2023

To

Mr. Zahid Khan,
M/S Envirocare,
First Floor, Khan Ji Plaza,
Besides Gulbahar Police Station Peshawar.
091-2551605.

Subject:

OPERATIONAL ENVIRONMENTAL APPROVAL FOR ENVIROCARE INCINERATOR LOCATED AT PLOT # 138-H, SHAHZAMAN STREET, HAYATABAD INDUSTRIAL ESTATE PESHAWAR.

Kindly refer to your letter No. EPA/O.A/01/23, dated 28/04/2023, on the subject noted above followed by site visit dated 22/05/2023, followed by another site visit dated 15/06/2023, it is stated that as per Khyber Pakhtunkhwa Environmental Protection Act, 2014 and Khyber Pakhtunkhwa Environmental Assessment Rules, 2021, this Agency has been pleased to allow operational activities to "**COMBINED INCINERATOR FOR HAZARDOUS WASTE MANAGEMENT WITH THE NAME OF ENVIROCARE LOCATED AT 138-H, SHAHZAMAN STREET, HAYATABAD INDUSTRIAL ESTATE**" subject to following terms and conditions which needs to be adapted for Environmental improvement:

- i. *The proponent shall adopt all precautionary and mitigation measures for Environment protection and improvement as mentioned in construction phase environmental approval issued by this Agency vide letter No. EPA/EIA/Incinerator/Peshawar/23/1426-28, dated 20/03/2023.*
- ii. *All emissions and effluents shall be kept within the permissible limits of National Environmental Quality Standards (NEQS).*
- iii. *Comprehensive Plantation shall be carried out within and outside the premises of the unit at available spaces.*
- iv. *During the operation, a team of this Agency shall visit the unit for checking the compliance of NEQS on regular basis. No hurdles shall be created for the Agency staff during entry and inspection of the unit.*
- v. *EPA may propose further mitigation measures in the light of visit report of this Agency.*
- vi. *In case of extension/design changes, prior approval from this Agency shall be obtained.*
- vii. *Incineration shall be undertaken at the pace of 100kg/batch capacity.*
- viii. *Time of incineration shall be 1.5 hours to ensure efficient burning.*

D:\EIA Data 2009\EIA Section 2011\Sectors\Cement Industry\Cherat Cement Company (2 Cement Lines) New

3rd Floor, SDU Building, Khyber Road, Peshawar Cantt
Telephone: 92 (91) 9210263, Fax: 92 (91) 9210280



ENVIRONMENTAL PROTECTION AGENCY
CLIMATE CHANGE, FORESTRY, ENVIRONMENT
&
WILDLIFE DEPARTMENT
GOVERNMENT OF KHYBER PAKHTUNKHWA



No. EPA/EIA/Incinerator/Envirocare/Peshawar/23/ 481-83

Date: 27 / 66 / 2023

- ix. *Glass shall be shredded into powdered form through heavy duty shredder.*
- x. *All the vehicles shall be certified from VETS Department.*
- xi. *No wastewater shall be discharged from the unit premises.*
- xii. *The proponent shall be bound to submit 3rd party analysis report on quarterly basis and analysis may be done from some other lab (in presence of EPA staff) rather than the proponent's own lab to avoid the conflict of interest.*

Moreover, Schedule-X must be submitted to this Agency within a month time on stamp paper as an undertaking for the compliance of terms and conditions as mentioned above, please.

QR Code:



<https://epakp.gov.pk/environmental-approvals/>


Director General

Copy for information to the:

1. Director (Centre), EPA Central Directorate, Peshawar.
2. GIS Specialist, EPA, Khyber Pakhtunkhwa, Peshawar.