



**EPA NORTHERN DIRECTORATE, ABBOTTABAD,  
Climate Change, Forestry, Environment & Wildlife Department  
Govt. of Khyber Pakhtunkhwa**

No EPA ND/ATD/GEA/BIS 1969

Dated: 11/10/23



To

Mr. Zubair Aslam (GM Enterprises PMO),  
Engro Enfrashare (Pvt) Limited,  
17<sup>th</sup> Floor, Ufone Tower, Jinnah Avenue,  
Blue Area Islamabad.

Subject: **SUBMISSION OF GEA REPORT FOR BTS TOWER OF ENGRO  
ENFRASHARE ID EN1-HPR-06312 AT KHEWAT NO. 306/397,  
KHASRA NO. 995/52, MOUZA QAZIAN, TEHSIL AND DISTRICT  
HARIPUR.**

I am directed to refer to the subject cited above and to enclose herewith Environmental Approval/decision note on GEA Report of "BTS Tower of Engro Enfrashare ID EN1-HPR-06312" at Khewat No. 306/397, Khasra No. 995/52, Mouza Qazian, Tehsil and District Haripur, for your information and further implementation.

Moreover, schedule X must be submitted to this Agency within a month on stamp paper as an undertaking for the compliance of term and condition as mentioned in the Environmental Approval as well as mitigation measure proposed in the GEA report. (Copy enclosed).

  
Assistant Director

CC:

- Director General, Environmental Protection Agency, Peshawar.
- Deputy Commissioner, District Abbottabad.

9/c

House No. CB-1118/3A, Gosht Market, Supply, Abbottabad. Phone No. 0992-9310472



**EPA NORTHERN DIRECTORATE, ABBOTTABAD.**  
Climate Change, Forestry, Environment & Wildlife Department  
Govt. of Khyber Pakhtunkhwa



No.EPA/ND/ATD/GEA/BTS EES/ 1969

Dated 11/10/23

**SCHEDULE-IX**  
**Decision on GEA**


1. Name, address of proponent: Mr. Zubair Aslam (GM Enterprises PMO)  
Engro Enfrashare (Pvt) Limited, 17<sup>th</sup> Floor, Ufone Tower, Jinnah Avenue, Blue Area Islamabad.
2. Description of project: The proponent has Constructed/ installed a BTS Tower with Site ID EN1-IIPR-06312 at Khewat No. 306/397, Khasra No. 995/52, Mouza Qazian, Tehsil and District Haripur. The BTS tower has a height of 46 meter with 03 RF Antennae and 1 MW Dish running on secondary source batteries. The said BTS tower is already installed/ operational on 17/08/2022.

3. GPS Coordinates & GIS Map:

S.No.	Latitude	Longitude
1	34.031126	72.91391

4. Date of filing of GEA: 07/09/2023 (Ref: EPA/Diary No.1723)

ENGRO ENFRASHARE (PRIVATE) LIMITED BTS SITE ID EN1-IIPR-06312, PLOT BEARING  
KHEWAT NO. 306/397, KHASRA NO. 995/52, QAZIAN, TEHSIL & DISTRICT HARIPUR



5. After careful review of the General Environmental Assessment (GEA) Report of the project "BTS Tower of Engro Enfrashare ID EN1-IIPR-06312" at Khewat No. 306/397, Khasra No. 995/52, Mouza Qazian, Tehsil and District Haripur and visit conducted on 21/09/2023 wherein it was recorded that the BTS Tower (Radiating Surface of antenna) is fulfilling the distance criteria from the sensitive receptors. The





**EPA NORTHERN DIRECTORATE, ABBOTTABAD.**  
**Climate Change, Forestry, Environment & Wildlife Department**  
**Govt. of Khyber Pakhtunkhwa**

No.EPA/ND/ATD/GEA/BTS/EES/ 1969

Dated 17/10/23



Environmental Protection Agency (EPA), Northern Directorate, Government of Khyber Pakhtunkhwa has decided to accord **Operational Environmental Approval** in line with the guidelines issued vide No.790-801/EPA/EIA dated 23/09/2022 under Khyber Pakhtunkhwa Environmental Protection Act, 2014 and Khyber Pakhtunkhwa Environmental assessment Rules-2021, subject to the following terms & conditions:

- a) That in the light of record/decision of the Environmental Assessment Advisory Committee (EAAC) meeting held on 12/06/2023, the issued environmental approval is conditional subject to authentication of the decision of EAAC regarding imposition of administrative penalty by the Environmental Protection Council.
- b) That the proponent is bound to implement and comply any measures as and when suggested by the agency. That if any of the negative impacts reported from the tower as a result of new research or finding if found, even if the proponent comply the distances mentioned in the guidelines, the agency will reserve the rights to cancel/withdraw the approval till mitigation of negative impacts.
- c) In case of uncontrolled (public) exposure, for installation of BTS towers, the minimum safe distance is a radius of **25 feet** from the **radiating surface of antenna**. (In case where the Radio Frequency Radiation at a site exceeds the National Standard for general public / uncontrolled exposures, the site shall be posted with appropriate signs of warning and power down / shut down the transmitters in the areas/ remove the BTS Tower from the site).
- d) In case of controlled (occupational) exposure, the minimum distance between the workers and the antenna must be **10 feet**.
- e) Design of the BTS Tower must be compatible with adjacent land-use and if results in damage to the aesthetics of the surrounding area, the same shall be restored and rehabilitated by the proponent.
- f) Distance between two or more BTS towers shall not be less than 50 meters.
- g) The proponent shall comply sub rule 04 of rule 15 of Khyber Pakhtunkhwa Assessment Rules, 2021.
- h) That the BTS towers shall not be allowed to be erected on residential building in earthquake prone areas as per seismic zone maps of "Building Code of Pakistan".
- i) The proponent shall be liable to comply with the National Environmental Quality Standards (NEQs), if power backup generator is used with the tower.
- j) That the owner of this BTS tower shall provide written certification within 07 days to the Agency (KP-EPA) that such tower shall be available for use by other telecommunication service providers on a reasonable cost and non-discriminatory basis, and modalities and conditions for such shared use.
- k) The safe limit of power density values as specified/authorized/approved by the Frequency Allocation Board (FAB) and/or Pakistan Telecommunication Authority (PTA) at public level in tower's proximity must be ensured to be maintained.
- l) Antenna Installation information mentioned in BTS Guidelines 2022 shall be displayed.
- m) All operators/proponents shall develop a work practice manual to be displayed on the antenna sites for information.



**EPA NORTHERN DIRECTORATE, ABBOTTABAD.**  
**Climate Change, Forestry, Environment & Wildlife Department**  
**Govt. of Khyber Pakhtunkhwa**

No EPA/ND/ATD/GEA/BTS/EES/ 1969

Dated 11/10/23



- n) All proponents/operators shall take necessary preventive measures and safety precautions for the protection of their workers as mentioned in the guidelines for BTS towers.
  - o) The proponent shall ensure to comply with all the instructions/directions of "Protection from Health Related Effects of Radio Base Station Antennas Regulations, 2008".
  - p) The proponent/operator shall submit to this Agency, a copy of the "Compliance Certificate" along-with supporting information submitted to PFA in accordance to Regulations 4 to 6 of "Protection from Health Related Effects of Radio Base Station Antennas Regulations, 2008". (\*For recording of Power Density, the field staff may be equipped with Digital Portable Meter).
  - q) The applicant and the owner/proponent shall be responsible for the structure stability of the BTS tower and the building in which or on which it is erected and damage caused due to inadequate safety measures. He shall submit an affidavit to the agency for the purpose.
6. The proponent shall be liable for correctness and validity of the information provided in the GEA Report.
  7. The proponent shall be liable for compliance of Rule 14, 15, 18, 19, 20 & 21 of the Khyber Pakhtunkhwa Environmental Assessment Rules, 2021 regarding approval, confirmation of compliance, entry, inspections & monitoring.
  8. The proponent shall comply with the Rule-14 (2) of the Assessment Rules, 2021 and shall submit undertaking on stamp paper for compliance of the conditions of approval.
  9. This approval shall be treated as null and void, if any of the submission in the GEA report by the proponent is or found incorrect. Furthermore, the approval shall be treated as null and void if any condition(s) mentioned above is/are not complied with:
  10. This approval does not absolve the proponent of the duty to obtain any other approval or clearance that may be required under any law in force.
  11. There shall be no legal case pending in any court against the instant tower.
  12. In exercise of the power under Section-13 (7) of the Khyber Pakhtunkhwa Environmental Protection Act, 2014, the undersigned is pleased to approve the GEA Report for Operational phase of the BTS tower (Radiating surface of antenna) with the above mentioned terms and conditions.

Dated Abbottabad: 11/10/23

Tracking/File No. EPA/ND/GEA/BTS/EES/ 1969

Tracking Code:



<http://epakp.gov.pk/environmental-approvals/>

  
DIRECTOR (NORTH)  
EPA, NORTHERN DIRECTORATE  
ABBOTTABAD.