SCHEDULE-VIII Decision on IEE

Name, address of proponent:

Mr. Yasir Khursheed S/O Khursheed Ahmed CEO Maple Petroleum, Mouza Pir Pai, Nowshera.

Address#

House#03, Khalid Lane, Peshawar Cantt. District Peshawar.

2. Description of project.

Protection Age


which for Proposed project Environmental Examination (IEE) is being conducted is "constructed Bulk Oil Storage Depot by Maple Petroleum located at Khasra No. 856/1557, Mouza Pir Pai Peshawar G.T ROAD in District Nowshera. The project involves the installation of a 50,000- liter storage tank specifically designed for the storage of petroleum products, primarily light diesel and oil. The Purpose of Maple Petroleum is to supply of petroleum products to various industries. Maple Petroleum has a total covered area 750.03 ft2 on a plot 21,021.04 ft² area having 20,271.01 ft² open area. The total estimated cost of the project is PKR. 50 million. Petroleum is initial construction phase. The proponent of the proposed project will develop strategies to minimize any adverse environmental impacts identified during examination, such as reducing pollution, improving waste management, conserving water and resources.

3. Location of Project.

The Project is located in District Nowshera.

4. GPS Coordinates:

Boundary GPS Coordinates					
S#	Lat	Long	S#	Lat	Long
SH-	34.0084	71.9038	6	34.0082	71.9039
2	34.0082	71.9038	7	34.008	71.9039
2	34.0082	71.9038	8	34.0079	71.9039
3		71.9038	9	34.0079	71.9035
4	34.0082	71.9038	10	34.0084	71.9035
5	34.0082	The second secon	1 -	Coordinat	es
Sec. of	DATES OF THE PARTY OF THE PARTY.	The Control of the Co	S#	Lat	Long
S#	Lat	Long	STATE OF STREET	34.0082	71.9038
1	34.008	71.9039	4		
2.	34.008	71.9038	5	34.0082	71.9038
3	34.0082	71.9038	6	34.0082	71.9039



(Ref. EPA Diary No. 71) PRE TOR (Central) Agency
After a careful review of IEE report, this Agency has decided to accord
construction phase Environmental Approval of the Initial Environmental Examination (IEE) Report of "MAPLE PETROLETTE"
NOWSHERA" as per the VI-5. 2014 and Khyber Pakhtunkhwa Environmental Assessment Rules-2021 subject to the following terms & conditions:-

a) The proponent shall adopt all precautionary and mitigation measures identified in IEE Report, explanation/clarification submitted to this Agency in response to various observations/queries raised during presentation as well as any un-anticipated impacts during the construction and operation phase of the project to minimize any negative impacts on soil, ground water, air & biological resources of the project area.

b) The Proponent shall ensure the compliance and implementation of the National Environmental Quality Standard (NEQS) for ambient air, noise, water and gaseous emission during construction phase of the Project.

c) All the construction and installation in the project area must be carried out according to Site Plan and instructions provided in NFPA 58 and OGRA Rules

- 2001, (Amended 2014) specially regarding the distance from the houses/buildings etc.
- d) The safety and emergency measures shall be carried out in the premises of the project area e.g. emergency exits, fire extinguisher as per OGRA Rules 2001 (amended 2014). Personal protective equipment shall be provided to all workers to ensure health and safety with first aid box for emergency medical coverage.
- e) Among the Hydrocarbon solvents only naphthalene, LDO, Kerosene Oil and White spirit shall be stored in the proposed tanks.
- f) Vehicle carrying specified oil mentioned in condition no. (g) Shall be properly labeled with the message indicating existence of the specified oil, etc. No vehicular movement of specified Oil tankers shall be allowed during the school opening and closing hours (i.e., 07:00 AM & 01:00 PM).
- g) Solid waste/Debris/Excavated material shall be disposed of at designated site with the prior permission of respective authority (i.e. TMA, etc.) moreover, Awareness messages and proper signboard shall be mounted in and outside of the storage area.
- h) Arrangements shall be made for safe disposal of sanitary & solid waste. The solid waste shall be retained within the unit boundary/premises and will be disposed of in an environment friendly way at a suitable disposal facility. Toilet/washrooms will be maintained in an orderly and hygienic manner for
- The Central Burgasses and vegetation around the storage tank is potential source of ignition around the same shall be cleared and the area be concreted or tiled. Moreover, impounding concrete flooring along with underground storage Tank shall be carried out around storage.

 The Central Burgasses and vegetation around the storage tank is potential source of ignition or tiled. Moreover, impounding concrete flooring along with underground storage.

 The Central Burgasses and vegetation around the storage tank is potential source of ignition or tiled. Moreover, impounding concrete flooring along with underground storage.

 - l) The monitoring team of this Agency shall regularly visit the Project site to check the terms and conditions of the approval and compliance of the Khyber Pakhtunkhwa Environmental Protection Act, 2014 and no hindrance shall be created to the officials of the EPA.
 - m) This approval is subject to approval of OGRA and shall be considered as null & void in case of non-availability of OGRA License and the proponent shall also obtain NOC's and approvals of all concerned Departments.
 - The proponent shall be liable for correctness and validity of the information 6. provided in the environmental report.
 - The proponent shall be liable for compliance of Regulations 14, 15, 18, 19 and 20 of Khyber Pakhtunkhwa Environmental Assessment Rules-2021, regarding 7. approval, confirmation of compliance, entry, inspections and monitoring.
 - The proponent shall comply with the Rule- 14 (2) of the Khyber Pakhtunkhwa Environmental Assessment Rules-2021 and shall submit undertaking on 8. stamp paper for the compliance of conditions mentioned in Environmental Approval.
 - This approval is accorded only for the construction phase of the project. The 9. proponent will obtain approval for operation of the project in accordance with the Rule 15 (1) of Khyber Pakhtunkhwa Environmental Assessment Rules-2021.

- This approval shall be treated as null and void if all or any of the conditions 10. mentioned above is/are not complied with.
- This approval does not absolve the proponent of the duty to obtain any other 11. approval or clearance that may be required under any law in force.
- There shall be no legal case pending in the courts against the project 12.
- In exercise of the power under Section 13 of the Khyber Pakhtunkhwa 13. Environmental Protection Act, 2014, the undersigned is pleased to approve the IEE Report of "MAPLE PETROLEUM IN PRI PAI, DISTRICT NOWSHERA" with above mentioned terms and conditions.

Dated: Peshawar /6 / /2 /2024

Tracking/File. No. EPA/IEE/OIL DEPOT/MAPLE PETRLM/CD/ 4/3-15

Tracking Code:



https://epakp.gov.pk/environmental-approvals/

DIRECTOR (CENTRE)
CENTRAL DIRECTOR
MENT CENTRAL DIRECTORATE ENVIRONMENTAL PROTECTION AGENCY, GOVT. OF KHYBER PAKHTUNKHWA,