



ZERO TOLERANCE TO CORRUPTION
ENVIRONMENTAL PROTECTION AGENCY
Climate Change, Forestry, Environment & Wildlife Department
Govt. of Khyber Pakhtunkhwa.

32-33

No. EPA/HQ/IEE/OP/
Dated: 22/12/2025



To

Mr. Anwar Khan, (CEO)

Anwar Khan LPG (Auto Refueling) Station (SMC Pvt) Ltd,
Address: Village Dado Kalay, Tangi, District Charsadda.

Subject:

**"APPLICATION FOR OPERATIONAL ENVIRONMENTAL
APPROVAL FOR ANWAR KHAN LPG (AUTO REFUELING)
STATION (SMC PVT) LTD, LOCATED AT DISTRICT CHARASADDA.**

Reference to your Letter No. Nil dated Nil, on the subject cited above and to state that this office is pleased to allow/operate the "Anwar Khan LPG (Auto Refueling) Station (SMC Pvt) Ltd, located at District Charsadda", in accordance with the Khyber Pakhtunkhwa Environmental Protection Act, 2014 & Khyber Pakhtunkhwa Environmental Assessment Rules, 2021 subject to the following terms and conditions:

- i. That the Operational Approval is valid for a period of three years only and the proponent shall apply for renewal of Operational Approval after every three years in light of Sub Rule-4 of Rule-15 of Khyber Pakhtunkhwa Environmental Assessment Rules 2021.
- ii. The proponent shall ensure compliance of the conditions mentioned in the construction phase Environmental approval already issued vide letter No. EPA/HQ/Letters/10162-64 dated 30/10/2025.
- iii. That the proponent shall ensure compliance of National Environmental Quality Standards (NEQS) and other provision of the Khyber Pakhtunkhwa Environmental Protection Act, 2014.
- iv. That this Agency reserves the rights to recommend any additional mitigation measures and the proponent is bound to implement the same for the protection of the environment as and when suggested by EPA.
- v. Furthermore, this Agency will regularly inspect the unit to check the compliance of condition(s) and if found in violation, action shall be initiated against you as per the Khyber Pakhtunkhwa Environmental Protection Act, 2014.

Moreover, the monitoring/sectoral team of this Agency along with representative of EPA laboratory will regularly inspect the unit for checking the compliance status of the Environmental approval and NEQS, please.

DIRECTOR GENERAL

Copy for information:

The Assistant Director-IT, Environmental Protection Agency, Govt. of Khyber Pakhtunkhwa.

3rd Floor, SDU Building, Khyber Road, Peshawar Cantt
Telephone : 92 (91) 9210263, Fax: 92 (91) 9210280