



ZERO TOLERANCE TO CORRUPTION

ENVIRONMENTAL PROTECTION AGENCY
Climate Change, Forestry, Environment & Wildlife Department
Govt. of Khyber Pakhtunkhwa.



No. EPA/HQ/Letters/ 757-52

Dated: 07/03/2026

To

Mr. Akbar Ali Khan,
Proponent of Haizoom Bottled Drinking Water,
Plot No. 29/1, Phase-1, Industrial Estate Hattar, District Haripur.
Postal Address: House No 06, Street 26, Sector -10/2, Islamabad.

Subject: DECISION ON GENERAL ENVIRONMENTAL ASSESSMENT (GEA)
REPORT FOR "HAIZOOM BOTTLED DRINKING WATER, PLOT
NO. 29/1, PHASE-1, INDUSTRIAL ESTATE HATTAR, DISTRICT
HARIPUR".

Reference to the subject cited above and to enclose herewith Environmental Approval/Decision note on "General Environmental Assessment (GEA) Report of "HAIZOOM BOTTLED DRINKING WATER, PLOT No. 29/1, PHASE-1, INDUSTRIAL ESTATE HATTAR, DISTRICT HARIPUR", for your information and further implementation.

Moreover, Schedule-X must be submitted to this Agency within a month on stamp paper as an undertaking for the compliance of term and condition as mentioned in the Environmental Approval as well as mitigation measures proposed in the GEA report, please.

ASSISTANT DIRECTOR

Copy for information to:

- i. The Assistant Director-IT, Environmental Protection Agency, Govt. of Khyber Pakhtunkhwa.
- ii. PA to Director General, Environmental Protection Agency, Govt. of Khyber Pakhtunkhwa.

SCHEDULE-IX
Decision on GEA

1. Name & address of proponent:

Mr. Akbar Ali Khan,
Proponent/CEO/Owner of Haizoom Bottled
Drinking Water, Plot No. 29/1, Phase-1,
Industrial Estate Hattar, District Haripur.
Postal Address: House No 06, Street 26,
Sector -10/2, Islamabad.

2. Description of project:

The project for which the General Environmental Assessment (GEA) conducted is "Haizoom Bottled Drinking Water". Total land of 01 Acre (12000 sq ft) has been allocated for the construction of the proposed project. The process will involve ground water extraction & storage, water treatment including Pre chlorination, sand filtration, Housing/Cartridge filters, Activated Carbon filters, Reverse Osmosis System, Ultra filtration, UV sterilization and Ozonation, Bottle rinsing, filling and capping. The average daily production will be 84,000 L/Day (07 Hour Operations) and monthly production capacity may be 184000 Liter/Month. An effluent treatment plant will be constructed to treat the waste water of the project. The bottling plant will require power which will be provided through installation of 10 KVA electricity transformer by WAPDA. An Environmental Management & Monitoring Plan (EMMP) is prepared and will be implemented to minimize the effects of adverse impacts of the project during the construction & operational stage of the project.

3. Location of project:

Plot No. 29/1, Phase-1, Industrial Estate Hattar, District Haripur.

4. GPS Coordinates/GIS Map:

S. No.	Latitude	Longitude	Source
1	33 53 48.7	72 52 05.75	GEA Report
2	33 53 49.13	72 52 07.07	GEA Report
3	33 53 52.16	72 52 06.04	GEA Report
4	33 53 51.74	72 52 04.74	GEA Report
5	33 53 50.07	72 52 05.74	GEA Report

5. Date of Filing of GEA:

12/12/2025 (Ref: EPA Diary No. 668)
EPA Head Office, Peshawar.

6. After careful review, the Environmental Protection Agency, Govt. of Khyber Pakhtunkhwa has decided to accord approval of the "GENERAL ENVIRONMENTAL ASSESSMENT (GEA) REPORT FOR HAIZOOM BOTTLED DRINKING WATER, PLOT NO. 29/1, PHASE-1, INDUSTRIAL ESTATE HATTAR, DISTRICT HARIPUR",

on the above-mentioned GPS Coordinates/GIS Map under the Khyber Pakhtunkhwa Environmental Protection Act, 2014 and Khyber Pakhtunkhwa Environmental Assessment Rules, 2021 subject to the following terms and conditions:

- a) This approval is accorded under Section-13 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014.
- b) This approval is accorded in light of the decision taken under Agenda Item No. 06 in the 2nd Environmental Protection Council (EPC) meeting held dated 11/09/2024 and Administrative Department Notification No. SO(Env)/CCFEWD/4-2/2023/EPC/V-III dated 22/01/2025.
- c) This approval does not absolve the proponent of the duty to obtain any other approval or clearance that may be required under any law in force. The proponent shall have to obtain the necessary NOCs/Approvals/Clearances required from other Departments/Authorities under the prevailing laws/rules of the provincial government before construction of the project.
- d) The proponent shall adopt all precautionary and mitigation measures identified in GEA Report, any un-anticipated impacts during the construction and operation phase of the project to minimize any negative impacts on the soil, ground water, air and water bodies.
- e) The Proponent shall ensure the compliance of the National Environmental Quality Standard (NEQS) for ambient Air, Noise, Water and Gaseous emission during construction & operational phase of the Project.
- f) The proponent shall not discharge the rejected RO water directly to the drains, it shall be used for landscaping, green belt development etc.
- g) The proponent shall install water meter on all the water inlet points to properly maintain a record of quantity of raw water used.
- h) The proponent shall adopt rainwater harvesting techniques and
- i) The proponent shall submit an approved/finalized layout map of the project to this Agency before commencement of construction activities.
- j) The proponent shall restore/rehabilitate the area affected by the construction activities.
- k) Solid waste/Debris/Excavated material shall be reused at the project site. If required disposal, then, it shall be disposed off at designated site with the prior permission of concerned authority.
- l) Water conservation practices shall be adopted to avoid over exploitation of water resources.
- m) The proponent shall construct Septic tanks for the treatment of sanitary wastewater & no wastewater without treatment shall be released to the environment.
- n) Health & Safety equipment's shall be provided to the workers with the directives to use in working hours. Moreover, First Aid box facility must be kept within the premises of the unit for emergency cases.
- o) The plantation shall be carried out as per submitted plantation plan (100 Nos) in the GEA report across the boundary wall & available open spaces. Additional plantation of 100 fast growing, climate friendly and native species including fruit trees/plants having a height of 05 to 10 feet shall be done in consultation with EPA and their sustainability shall be ensured by the proponent.
- p) The proponent shall be liable to address concerns/complaints highlighted by the local community/neighborhood.

q) Non-technical jobs shall be provided to the local community.

r) The proponent shall be liable to adopt all the applicable conditions mentioned in the GEA Guidelines for Mineral Water units 2025, in true letter and spirit.

s) This Agency reserves the right to monitor and suggest any additional mitigation measures at any stage of the project to avoid/minimize Environmental Pollution. The proponent shall be liable to implement the additional measures for the protection of Environment as and when suggested by EPA.

7. The proponent shall be liable for correctness and validity of the information provided in the environmental report.

8. The proponent shall be liable for compliance of Rules 14, 15, 18, 19 and 20 of Khyber Pakhtunkhwa Environmental Assessment Rules-2021, regarding approval, confirmation of compliance, entry, inspections and monitoring.

9. The proponent shall comply with the Rule-14 (2) of the Khyber Pakhtunkhwa Environmental Assessment Rules-2021 and shall submit undertaking on stamp paper for the compliance of conditions mentioned in Environmental Approval.

10. This approval is accorded only for the installation/construction phase of the project for two (02) years. The proponent shall obtain approval for extension in construction phase or operation of the project in accordance with the Khyber Pakhtunkhwa Environmental Assessment Rules, 2021.

11. This approval shall be considered as withdraws, if all or any of the above conditions are violated by the proponent personally and vicariously.

12. This Agency shall not be responsible for any issue related to the project land.

13. There shall be no legal case pending in the courts against the project.

14. In exercise of the power under Section-13 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014, the undersigned is pleased to approve the GEA Report for "**General Environmental Assessment (GEA) Report for Haizoom Bottled Drinking Water, Plot No. 29/1, Phase-1, Industrial Estate Hattar, District Haripur**" for the Construction Phase of the project with the above-mentioned terms and conditions.

Dated: Peshawar 07/11/26

Tracking/File No. **EPA/HQ/letters/ 750 - 52**

Tracking Code:



<https://epakp.gov.pk/environmental-approvals/>

**DIRECTOR GENERAL
EPA, KHYBER PAKHTUNKHWA**