



ZERO TOLERANCE TO CORRUPTION

ENVIRONMENTAL PROTECTION AGENCY
Climate Change, Forestry, Environment & Wildlife Department
Govt. of Khyber Pakhtunkhwa.



No. EPA/HQ/Letters/ 818-20

Dated: 27/01/2025


To

Mr. Sher Ali Khan,
Proponent/Owner/CEO of Sher Ali Khan Filling Station, located at
village Shang, KKH Road, Tehsil Besham, District Shangla.

Subject: **DECISION ON GENERAL ENVIRONMENTAL ASSESSMENT (GEA)**
REPORT FOR "SHER ALI KHAN FILLING STATION, LOCATED
AT VILLAGE SHANG, KKH ROAD, TEHSIL BESHAM, DISTRICT
SHANGLA".

Reference to the subject cited above and to enclose herewith
Environmental Approval/Decision note on "General Environmental Assessment
(GEA) Report of "**Sher Ali Khan Filling Station, located at village Shang, KKH**
Road, Tehsil Besham, District Shangla", for your information and further
implementation.

Moreover, Schedule-X must be submitted to this Agency within a
month on stamp paper as an undertaking for the compliance of term and
condition as mentioned in the Environmental Approval as well as mitigation
measures proposed in the GEA report, please.


ASSISTANT DIRECTOR

Copy for information to:

- i. The Deputy Commissioner/DM, District Shangla w.r.t the letter No. 8937-47/AG-I/GO/Sher Ali Khan Petroleum/DC/SH dated 08/08/2023.
- ii. The Assistant Director-IT, Environmental Protection Agency, Govt. of Khyber Pakhtunkhwa.
- iii. PA to Director General, Environmental Protection Agency, Govt. of Khyber Pakhtunkhwa.

SCHEDULE-IX
Decision on GEA

1. **Name & address of proponent:** Mr. Sher Ali Khan, Proponent/Owner/CEO of Sher Ali Khan Filling Station, located at village Shang, KKH Road, Tehsil Besham, District Shangla.
2. **Description of project:** The project for which the General Environmental Assessment (GEA) conducted is "Sher Ali Khan Filling Station, located at village Shang, KKH Road, Tehsil Besham, District Shangla". A total land of about 05 kanals & 03 marlas (18764 SFT) has been allocated for the project with an estimated cost of 20 million PKR. The total storage capacity for the petrol will be 25000 liters while the storage HSD will be 50,000 liters respectively.
3. **Location of project:** The Project is located at village Shang, KKH Road, Tehsil Besham, District Shangla.
4. **GPS Coordinates/GIS Map:**
- | S.No. | X | Y | Source |
|--------------|-----------|-----------|---------------|
| 1 | 34.874074 | 72.911268 | GEA Report |
5. **Date of Filing of GEA:** 22/12/2025 (Ref: EPA Diary No. 881) EPA Head Office, Peshawar.
6. After careful review, the Environmental Protection Agency, Govt. of Khyber Pakhtunkhwa has decided to accord approval of the "**GENERAL ENVIRONMENTAL ASSESSMENT (GEA) REPORT FOR SHER ALI KHAN FILLING STATION, LOCATED AT VILLAGE SHANG, KKH ROAD, TEHSIL BESHAM, DISTRICT SHANGLA**", on the above-mentioned GPS Coordinates under the Khyber Pakhtunkhwa Environmental Protection Act, 2014 and Khyber Pakhtunkhwa Environmental Assessment Rules, 2021 subject to the following terms and conditions:
- a) This approval is accorded under Section-13 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014.
 - b) This approval is accorded in light of the decision taken in the 2nd Environmental Protection Council (EPC) meeting held dated 11/09/2024 and Administrative Department Notification No. SO(Env)/CCFEWD/4-2/2023/EPC/V-III dated 22/01/2025.
 - c) This approval does not absolve the proponent of the duty to obtain any other approval or clearance that may be required under any law in force. The proponent shall have to obtain the necessary NOCs/Approvals/Clearances required from other departments under the prevailing laws/rules of the provincial government before commencement of the project activities.
 - d) The proponent has violated Section-13 of the Khyber Pakhtunkhwa Environmental Protection Act-2014, for which the proponent shall be liable to pay the penalty under the Khyber Pakhtunkhwa Environmental Protection Administrative Penalty Rules, 2017, as per law as & when suggested by EPA.
 - e) The proponent shall adopt all precautionary and mitigation measures identified in GEA Report as well as any un-anticipated impacts arising during

the operation phase of the project to minimize any negative impacts on the soil, ground water, air and water bodies (if any).

- f) The Proponent shall ensure the compliance of the National Environmental Quality Standard (NEQS) for ambient Air, Noise, Water and Gaseous emission during the operation phase of the Project.
- g) All the construction and installation in the project area must be carried out according to approved Site Plan (as well as criteria of relevant authorities).
- h) The proponent shall submit an approved/finalized layout map of the project to this Agency before operations of the project.
- i) The safety and emergency measures shall be carried out in the premises of the project area including preparation & execution of Emergency Response Plan (ERP) & emergency exits, fire extinguisher / Advance Fire Extinguishing System shall be installed in the unit.
- j) The proponent shall hire well trained staff / technical staff for the purpose of filling & operational activities of the unit.
- k) The proponent shall make arrangement/install noise barriers in the power house to minimize noise pollution.
- l) Regular inspections of storage tanks, leakage detectors filling points including nozzles, dispensers and firefighting equipment installed in the unit shall be carried out & record be maintained.
- m) The proponent shall make sufficient arrangements for the security & safety of the unit (if required).
- n) The proponent shall construct washrooms/toilets, tuck shop, prayer room/masjid for the visitors as well as workers.
- o) Solid waste shall be disposed of at designated sites with the prior permission of concerned authorities (i.e. TMA etc.).
- p) Vehicle carrying the desired fuel shall be properly labeled with the message indicating existence of fuel. The vehicles shall be parked in designated parking area inside the unit.
- q) Grasses & vegetation around the storage tanks is potential source of ignition when dried. Therefore, it shall be cleared and the area shall be concreted/cemented or tiled and the storage shall be properly enclosed covered.
- r) The proponent shall construct Septic tanks for the treatment of sanitary wastewater & no wastewater without treatment shall be released to the environment.
- s) Personal protective equipment shall be provided to all workers to ensure health and safety along with first aid box for emergency medical coverage.
- t) Plantation of 100 No. of fast growing, climate friendly, native trees (including fruit plants) having a height of 05-10 feet shall be carried out in consultation with EPA and their sustainability shall be ensured.
- u) In case generator is required to be installed, it shall comply with the NEQS limits of emissions and noise pollution. Special mitigation measures to be adopted for vibration and noise control by fully covering the generator in a room with rubber pad installed. Moreover, this Agency is of the suggestion to install Solar Power system as an alternate source of energy.
- v) The proponent shall be liable to address concerns/complaints highlighted by the local community/neighborhood.
- w) Non-technical jobs shall be provided to the local community.

- x) The proponent shall be liable to adopt all the applicable conditions mentioned in the GEA Guidelines for CNG, LPG, LNG & Petrol Pumps 2025, in true letter and spirit.
 - y) This Agency reserves the right to monitor and suggest any additional mitigation measures at any stage of the project to avoid/minimize Environmental Pollution. The proponent shall be liable to implement the additional measures for the protection of Environment as and when suggested by EPA.
 - z) Furthermore, this Agency will regularly inspect the unit to check the compliance of condition(s) and if found in violation, action shall be initiated against you as per the Khyber Pakhtunkhwa Environmental Protection Act, 2014.
7. The proponent shall be liable for correctness and validity of the information provided in the environmental report.
8. The proponent shall be liable for compliance of Rules 14, 15, 18, 19, 20, 21 & 24 of the Khyber Pakhtunkhwa Environmental Assessment Rules-2021, regarding approval, confirmation of compliance, entry, inspections and monitoring.
9. The proponent shall comply with the Rule-14 (2) of the Khyber Pakhtunkhwa Environmental Assessment Rules-2021 and shall submit undertaking on stamp paper for the compliance of conditions mentioned in Environmental Approval.
10. The proponent shall obtain renewal of the operational approval every 03 years under Rule-15(4) of Khyber Pakhtunkhwa Environmental Assessment Rules, 2021 subject to the extension in the project of Mohmand Dam Hydro Power Project.
11. This approval shall be considered as withdraws, if all or any of the above conditions are violated by the proponent personally and vicariously.
12. This Agency shall not be responsible for any issue related to the project land.
13. There shall be no legal case pending in the courts against the project.
14. In exercise of the power under Section-13 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014, the undersigned is pleased to approve the GEA Report for "**General Environmental Assessment (GEA) Report for Sher Ali Khan Filling Station, located at village Shang, KKH Road, Tehsil Besham, District Shangla**" with the above-mentioned terms and conditions.

Dated: Peshawar 07/01/26

Tracking/File No. **EPA/HQ/letters/ 818 - 20**

Tracking Code:



<https://epakp.gov.pk/environmental-approvals/>

**DIRECTOR GENERAL
EPA, KHYBER PAKHTUNKHWA**