



ZERO TOLERANCE TO CORRUPTION

ENVIRONMENTAL PROTECTION AGENCY

Climate Change, Forestry, Environment & Wildlife Department

Govt. of Khyber Pakhtunkhwa.



No. EPA/HQ/Letters/ 19

Dated: 27 / 01 / 2026

To

Muhammad Rehman,
Proponent/CEO of Four Seasons CNG & Filling Station (Private) Limited,
Address: Khata No. 24, 237, 436, Khatooni No. 48, 352, 592, Khasra No. 996, 997, 999, Mouza Aligrama, Kabal Road, Near FC Camp Kanju, Tehsil Kabal, District Swat.

Subject: DECISION ON GENERAL ENVIRONMENTAL ASSESSMENT (GEA) REPORT FOR "FOUR SEASONS CNG & FILLING STATION (PRIVATE) LIMITED LOCATED AT KHATA NO. 24, 237, 436, KHATOONI NO. 48, 352, 592, KHASRA NO. 996, 997, 999, MOUZA ALIGRAMA, KABAL ROAD, NEAR FC CAMP KANJU, TEHSIL KABAL, DISTRICT SWAT".

Reference to the subject cited above and to enclose herewith Environmental Approval/Decision note on "General Environmental Assessment (GEA) Report of "Four Seasons CNG & Filling Station (Private) Limited located at Khata No. 24, 237, 436, Khatooni No. 48, 352, 592, Khasra No. 996, 997, 999, Mouza Aligrama, Kabal Road, Near FC Camp Kanju, Tehsil Kabal, District Swat"", for your information and further implementation.

Moreover, Schedule-X must be submitted to this Agency within a month on stamp paper as an undertaking for the compliance of term and condition as mentioned in the Environmental Approval as well as mitigation measures proposed in the GEA report, please.



ASSISTANT DIRECTOR

Copy for information to:

- i. The Assistant Director-IT, Environmental Protection Agency, Govt. of Khyber Pakhtunkhwa.
- ii. PA to Director General, Environmental Protection Agency, Govt. of Khyber Pakhtunkhwa.

SCHEDULE-IX
Decision on GEA

1. Name & address of proponent: Muhammad Rehman, Proponent/CEO of Four Seasons CNG & Station (Private) Limited, **Address:** Khata No. 24, 237, 436, Khatooni No. 48, 352, 592, Khasra No. 996, 997, 999, Mouza Aligrama, Kabal Road, Near FC Camp Kanju, Tehsil Kabal, District Swat.

2. Description of project: The project for which the General Environmental Assessment (GEA) conducted is "Four Seasons CNG & Filling Station (Private) Limited located at Khata No. 24, 237, 436, Khatooni No. 48, 352, 592, Khasra No. 996, 997, 999, Mouza Aligrama, Kabal Road, Near FC Camp Kanju, Tehsil Kabal, District Swat". The primary objective of the proposed project is to establish a safe, efficient and reliable system for the storage & refueling of CNG to meet the growing demand in the region. The CNG storage capacity of 7840 liters (98 No. of Storage cylinders will be installed each of 80 liters' capacity) will be available at the unit and the total area of the project is around 1088 SFT, while, 04 dispensing units will be installed. A steel canopy or shed / steel beam of 33 x 120 feet will be installed at the project site over the dispensers. The other facilities proposed at the unit will be a management office, MD office, a generator room, cashier room & attached toilets/washrooms etc.

3. Location of project:  The project is located at Khata No. 24, 237, 436, Khatooni No. 48, 352, 592, Khasra No. 996, 997, 999, Mouza Aligrama, Kabal Road, Near FC Camp Kanju, Tehsil Kabal, District Swat.

4. GPS Coordinates/GIS Map:

S.No.	X	Y
1	34.805948	72.328243

5. Date of Filing of GEA: 22/01/2026 (Ref: EPA Diary No. 121)
EPA Head Office, Peshawar.

6. After careful review of the GEA Report, the bank receipt No. 7702919 as GEA Review fee and visit conducted by the Agency, this office has decided to accord approval of the "GENERAL ENVIRONMENTAL ASSESSMENT (GEA) REPORT FOR FOUR SEASONS CNG & FILLING STATION (PRIVATE) LIMITED LOCATED AT KHATA NO. 24, 237, 436, KHATOONI NO. 48, 352, 592, KHASRA NO. 996, 997, 999, MOUZA ALIGRAMA, KABAL ROAD, NEAR FC CAMP KANJU, TEHSIL KABAL, DISTRICT SWAT**", in consideration of the license issued by OGRA vide No. OGRA-CNG-18 (7030)/2025 dated 11/09/2025, on the above-mentioned GPS Coordinates under the Khyber Pakhtunkhwa Environmental Protection Act, 2014**

and Khyber Pakhtunkhwa Environmental Assessment Rules, 2021 subject to the following terms and conditions:

- a) This approval is accorded under Section-13 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014.
- b) This approval is accorded in light of the decision taken under Agenda Item No. 06 in the 2nd Environmental Protection Council (EPC) meeting held dated 11/09/2024 and Administrative Department Notification No. SO(Env)/CCFEWD/4-2/2023/EPC/V-III dated 22/01/2025.
- c) This approval does not absolve the proponent of the duty to obtain any other approval or clearance that may be required under any law in force. The proponent shall have to obtain the necessary NOCs/Approvals/Clearances required from other departments including District Administration under the prevailing laws/rules of the provincial government before construction of the project.
- d) The proponent shall adopt all precautionary and mitigation measures identified in GEA Report, any un-anticipated impacts during the construction and operation phase of the project to minimize any negative impacts on the soil, ground water, air and water bodies (if any).
- e) The Proponent shall ensure the compliance of the National Environmental Quality Standard (NEQS) for ambient Air, Noise, Water and Gaseous emission during construction & operation phase of the Project.
- f) All the construction and installation in the project area must be carried out according to approved Site Plan and as per the instructions issued by OGRA & other relevant govt. departments/authorities.
- g) The proponent shall submit an approved/finalized layout map of the project to this Agency before commencement of construction activities.
- h) The safety and emergency measures shall be carried out in the premises of the project area including preparation & execution of Emergency Response Plan (ERP) & emergency exits, fire extinguisher as per NFPA 58 & OGRA Rules 2001 (amended 2014). Leakage detectors, Automatic Fire Detection System and Advance Fire Extinguishing System shall be installed in the unit.
- i) The proponent shall hire well trained staff / technical staff for the purpose of filling & operational activities of the unit.
- j) The proponent shall make arrangement/install noise barriers in the power house to minimize noise pollution.
- k) Regular inspections of storage tanks, leakage detectors filling points including nozzles, dispensers and firefighting equipment installed in the unit shall be carried out & record be maintained.
- l) The proponent shall construct washrooms/toilets, tuck shop, prayer room/masjid for the visitors as well as workers.
- m) The proponent shall restore/rehabilitate the area affected by the construction activities.
- n) Solid waste/Debris/Excavated material shall be reused at the project site. If required disposal, then, it shall be disposed off at designated site with the prior permission of concerned authority (i.e. TMA, etc.).
- o) Vehicle carrying the desired fuel shall be properly labeled with the message indicating existence of fuel (LPG/LNG/CNG/RLNG) etc. The vehicles shall be parked in designated parking area inside the unit.
- p) Grasses & vegetation around the storage tanks is potential source of ignition when dried. Therefore, it shall be cleared and the area shall be

concreted/cemented or tiled and the storage area shall be properly enclosed / covered.

- q) Water conservation practices shall be adopted to avoid over exploitation of water resources.
- r) The proponent shall construct Septic tanks for the treatment of sanitary wastewater & no wastewater without treatment shall be released to the environment.
- s) Personal protective equipment shall be provided to all workers to ensure health and safety along with first aid box for emergency medical coverage.
- t) The plantation shall be carried out across the boundary wall as well as in the available open spaces. Plantation of 100 No. of fast growing, climate friendly, native trees (including fruit plants) shall also be done by the proponent in consultation with EPA. The plants shall have a height of 05-10 feet and the proponent shall ensure their survival.
- u) In case generator is required to be installed, it shall comply with the NEQS limits of emissions and noise pollution. Special mitigation measures to be adopted for vibration and noise control by fully covering the generator in a room with rubber pad installed. Moreover, this Agency is of the suggestion to install Solar Power system as an alternate source of energy.
- v) The proponent shall be liable to address concerns/complaints highlighted by the local community/neighborhood.
- w) Non-technical jobs shall be provided to the local community.
- x) The proponent shall be liable to adopt all the applicable conditions mentioned in the GEA Guidelines for CNG, LPG, LNG & Petrol Pumps 2025, in true letter and spirit.
- y) This Agency reserves the right to monitor and suggest any additional mitigation measures at any stage of the project to avoid/minimize Environmental Pollution. The proponent shall be liable to implement the additional measures for the protection of Environment as and when suggested by EPA.



- 7. The proponent shall be liable for correctness and validity of the information provided in the environmental report.
- 8. The proponent shall be liable for compliance of Rules 14, 15, 18, 19, 20, 21 and 24 of the Khyber Pakhtunkhwa Environmental Assessment Rules-2021, regarding approval, confirmation of compliance, entry, inspections and monitoring.
- 9. The proponent shall comply with the Rule-14 (2) of the Khyber Pakhtunkhwa Environmental Assessment Rules-2021 and shall submit undertaking on stamp paper for the compliance of conditions mentioned in Environmental Approval.
- 10. This approval is accorded only for the installation/construction phase of the project for two (02) years. The proponent shall obtain approval for extension in construction phase or operation of the project in accordance with the Khyber Pakhtunkhwa Environmental Assessment Rules, 2021.
- 11. This approval shall be considered as withdraws, if all or any of the above conditions are violated by the proponent personally and vicariously.
- 12. This Agency shall not be responsible for any issue related to the project land.
- 13. There shall be no legal case pending in the courts against the project.
- 14. In exercise of the power under Section-13 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014, delegated vide letter No. EPA/051/01/93/1134-42 dated 16/01/2026, the undersigned is pleased to approve the GEA Report for "**Four Seasons CNG & Filling Station (Private)**

- Limited located at Khata No. 24, 237, 436, Khatooni No. 48, 352, 592, Khasra No. 996, 997, 999, Mouza Aligrama, Kabal Road, Near FC Camp Kanju, Tehsil Kabal, District Swat" for the Construction Phase of the project with the above-mentioned terms and conditions.

Dated: Peshawar 27/01/2026

Tracking/File No. EPA/GEA/CNG-Filling Station/26/ 19

Tracking Code:



<https://epakp.gov.pk/environmental-approvals/>



DEPUTY DIRECTOR (CC)
EPA, KHYBER PAKHTUNKHWA

uploaded
Ans
AM
27/01/2026