



ZERO TOLERANCE TO CORRUPTION

ENVIRONMENTAL PROTECTION AGENCY
Climate Change, Forestry, Environment & Wildlife Department
Govt. of Khyber Pakhtunkhwa.



No. EPA/HQ/IEE/OP/ 001

Dated: 20 / 01 / 2026

To

Mr. Amir Habib,
General Manager (Works),
M/S Fauji Cement Company Limited,
Nizampur, District Nowshera.

Subject: **EXTENSION IN THE VALIDITY PERIOD OF ENVIRONMENTAL APPROVAL FOR PROJECT M/S FAUJI CEMENT COMPANY LIMITED FOR LINE-3, CEMENT PLANT (7700 TPD) LOCATED AT NIZAMPUR, DISTRICT NOWSHERA KHYBER PAKHTUNKHWA.**

Reference to your application dated 27/11/2025, followed by satisfactory site visit report dated 15/01/2026 conducted by the EPA monitoring team, wherein, almost all the conditions of Operation Phase Environmental Approval already issued by the EPA-HQ, Peshawar vide letter No. EPA/EIA/Cement/Cherat/Line-III/Oper/23/896-99 dated 26/01/2023 are reported in compliance, this office has decided to accord the renewal of Operational Environmental Approval of the unit/project for "**LINE-3, CEMENT PLANT (7700 TPD) LOCATED AT NIZAMPUR, DISTRICT NOWSHERA**", under the Rule-15 (4) of the Khyber Pakhtunkhwa Environmental Assessment Rules, 2021 with the following terms and conditions:

- i. That the Operational Approval is valid for a period of three years only and the proponent shall apply for renewal of Operational Approval after every three years in light of Sub Rule-4 of Rule-15 of Khyber Pakhtunkhwa Environmental Assessment Rules 2021.
- ii. The proponent shall ensure compliance of the conditions mentioned in the construction phase Environmental approval already issued vide letter No. EPA/EIA/ACL-LineIII/7700/NWR/18/1062 dated 19/12/2018 & operation phase Environmental Approval issued vide No. EPA/EIA/Cement/Cherat/Line-III/Oper/23/896-99 dated 26/01/2023 respectively.
- iii. That the proponent shall ensure compliance of National Environmental Quality Standards (NEQS) and other provision of the Khyber Pakhtunkhwa Environmental Protection Act, 2014.
- iv. Solid waste shall be properly dumped in designated area within the premises of the Cement Plant.
- v. Coal stock pile shall be properly covered and shall be provided with a sprinkler system.



ZERO TOLERANCE TO CORRUPTION
ENVIRONMENTAL PROTECTION AGENCY
Climate Change, Forestry, Environment & Wildlife Department
Govt. of Khyber Pakhtunkhwa.



No. EPA/HQ/IEE/OP/ 001

Dated: 30 / 01 /2026

- vi. The proponent shall fully cover the coal yard area to avoid dispersion of fine dust.
- vii. The proponent shall install water sprinkler/water mist gun and cement/concrete the area where the coal is stocked, load/unload.
- viii. That this Agency reserves the rights to recommend any additional mitigation measures and the proponent is bound to implement the same for the protection of the environment as and when suggested by EPA.
- ix. Furthermore, this Agency will regularly inspect the unit to check the compliance of condition(s) and if found in violation, action shall be initiated against you as per the Khyber Pakhtunkhwa Environmental Protection Act, 2014.

Moreover, the monitoring team of this Agency along with representative of EPA laboratory will regularly inspect the unit for checking the compliance status of the Environmental approvals and NEQS, please.

DEPUTY DIRECTOR (CC)

Copy for information:

1. The Deputy Director-EIA, EPA Headquarter, Peshawar.
2. The Assistant Director-IT, Environmental Protection Agency, Govt. of Khyber Pakhtunkhwa.

upload ps.
VAM
21/2/26.
Asstt (L-0) H.P